



Dart Hawkesbury
1270 Aberdeen St. Hawkesbury, ON K6A 1K7 Canada
Tel (613) 632-5200
Fax 613 632-5246

Purchasing Receipts

| PO No | Supplier | Line Item No | Rel No | Terms | Purchased Item | Description | For Part No | Project | Equipment ID | Order Qty | Due Date | Received Quantity | Accounting Job No | Container No | Status | Receive Date | Price/Unit | Aging Days | Past Due | Total | Supplier Name | | | |
|----------|-----------|--------------|--------|--------|----------------|--|-------------|---------|--------------|-----------|----------|-------------------|-------------------|--------------|--------|--------------|--------------|------------|----------|------------|---------------------------------|--|--|------------|
| PO039152 | DIV001-VU | 2 | 1 | Net 30 | M304EX0.75-16F | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | | | | 704 | 8/8/2018 | 704 | | S102780 | Stock | 8/13/2018 | \$ 4.20 / sf | 3 | | \$2,956.80 | Diversified Industrial Products | | | |
| | | | | | | | | | | Total: | 704 | | 704 | | | | | | | | | | | \$2,956.80 |



14 Connor Lane, Deer Park, NY 11729 Tel: 631.761.6200 Fax: 631.761.6201

| | | |
|---------------|------------|----|
| Customer PO # | Order Date | SP |
| PO039152 | 03/01/18 | AB |

| | |
|--------------------|----------|
| Sales Order Number | 45583 |
| Invoice Date | 8/8/2018 |
| Invoice Number | 68228 |

Ship To:

DART AEROSPACE LTD.
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
CANADA

| | |
|--------|---------|
| # Pkg. | 1 SKID |
| Weight | 600 LBS |

| | | |
|-----------|-------------|--------------|
| Ship Date | Shipped Via | Test Reports |
| 8/8/2018 | JOURNEY FRT | Y |

| Item # | Order Qty | U/M | Description | Qty Shipped | Bal. on Order |
|--------|-----------|-----|--|-------------|---------------|
| 1 | 4800 | SF | EXPANDED METAL FLAT 304/316 STAINLESS STEEL EXPANDED METAL DIAMOND ASTM A 240, ASTM F1267 OR MIL-M-17194D MILL: NAS; HEAT #: 457D 150 SHEETS TO BE RELEASED AS NEEDED, SHEETS ARE 4 FT X 8 FT EXPECTED RELEASE DATES ARE LISTED BELOW: (SUBJECT TO CHANGE) 704 SF (22 SHEETS) DUE 07/09/18 704 SF (22 SHEETS) DUE 08/08/18 704 SF (22 SHEETS) DUE 09/10/18 672 SF (21 SHEETS) DUE 10/08/18 672 SF (21 SHEETS) DUE 11/08/18 672 SF (21 SHEETS) DUE 12/11/18 672 SF (21 SHEETS) DUE 12/12/18 | 704 | 3,392 |

PACKING LIST

CERTIFICATE OF COMPLIANCE

We certify that the materials described above conform to the specifications stated.

Callie Vail
Quality Control Manager



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO039152

Supplier: DIV001-VU
Diversified Industrial Products
14 Connor Lane
Deer Park, NY 11803 USA
Phone: 516 822 8300
Fax: 516 822 8332

PO No: PO039152

PO Date: 3/1/18

Due Date: 12/20/18

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Lavoie, Chantal
clavoie@dartaero.com

E-MAILED

MAR 02 2018

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Pymt Terms: net 30

Freight Terms:

Special Comments: note delivery date TBA

Items

| Line Item | Part | Supplier Part No | Description | Status | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (USD) | Extended Price |
|--------------|----------------|------------------|---|--------|----------|----------------|-------------------|---------|------------------|---------------------------|
| 1 ✓ AT | M304EX0.75-16F | | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | Firmed | 7/9/18 | 704 sf | 0 sf 704sf | 704 sf | \$4.20/sf | \$2,956.80 AT 18/07/19 |
| 2 ✓ AT | M304EX0.75-16F | | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | Firmed | 8/8/18 | 704 sf | 0 sf 704sf | 704 sf | \$4.20/sf | \$2,956.80 AT 18/08/16 |
| 3 | M304EX0.75-16F | | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | Firmed | 9/10/18 | 704 sf | 0 sf | 704 sf | \$4.20/sf | \$2,956.80 |
| 4 | M304EX0.75-16F | | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | Firmed | 10/8/18 | 672 sf | 0 sf | 672 sf | \$4.20/sf | \$2,822.40 |
| 5 | M304EX0.75-16F | | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | Firmed | 11/8/18 | 672 sf | 0 sf | 672 sf | \$4.20/sf | \$2,822.40 |

| Items | | | | | | | | | | |
|--|----------------|------------------|---|--------|----------|----------------|-------------------|---------|------------------|--------------------|
| Line Item | Part | Supplier Part No | Description | Status | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (USD) | Extended Price |
| 6 | M304EX0.75-16F | | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | Firmed | 12/11/18 | 672 sf | 0 sf | 672 sf | \$4.20/sf | \$2,822.40 |
| 7 | M304EX0.75-16F | | Expanded Metal Flat SS : MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH AS PER ASTM A240 ASTM F1267 OR MIL-M-17194D receive sf | Firmed | 12/12/18 | 672 sf | 0 sf | 672 sf | \$4.20/sf | \$2,822.40 |
| Grand Total: | | | | | | | | | | \$20,160.00 |
| Order Notes | | | | | | | | | | |
| <p>Procurement Quality Clauses</p> <p>A005 right of entry</p> <p>A012 chemical and physical test report</p> <p>A016 personnel qualification</p> <p>A017 raw material identification (as applicable)</p> <p>A026 certification of material conformance</p> <p>A041 quality management system</p> <p>A042 dart notification by supplier</p> <p>A043 retention of quality documents</p> <p>A048 counterfeit parts avoidance, detection, mitigation and disposition program</p> <p>A049 supplier awareness</p> <p>Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.</p> | | | | | | | | | | |

Plex 3/1/18 11:00 AM dart.lavoie.chantal



**NORTH-AMERICAN
STAINLESS**

METALLURGICAL TEST REPORT

6870 Highway 42 East
Ghent, KY 41045-9615
(502) 347-6000

Certificate: 311312 01
Customer: 0007 092

Mail To:
DIVERSIFIED INDUSTRIAL PRODUCTS
14 CONNOR LANE
DEER PARK, NY 11729

Ship To:
DIVERSIFIED INDUSTRIAL PRODUCTS
14 CONNOR LANE
DEER PARK, NY 11729

Date: 7/12/2017 Page: 1
Steel: 304
Finish: 2B

Your Order: 4500815062

NAS Order: AM 0757720 01

Corrosion: ASTM A262/15 A188end-0

PRODUCT DESCRIPTION:

STEELS STL COIL, C.R. ANNEALED & PICKLED; UNS 30400
XN10028-7 & XN10028-2, 1.4301
ASTM A240/16a, A480/16b, 2686/15, SA480/15, SA666/15
AMS55133 ZONE; XN1-S-5039D AND 31X CEN MEAS; XN1-S-4043B
NACE MR0175/ISO 15156-3:2009 A, MR0103/97:QOS765D-A X MAG PERH
KIM - SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED
ASTM A240/16a (SUPERSEDED)

REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs.
EN 10204:2004 3.1; RORS 1 & 2 Compliant
Material is Free of Radioactive Contamination
Steel Making Process: RAP, AOD, & Cont. Casting
Product Mfg. by a Quality Mgt. Sys. in Conf. w/ISO 9001
EN 10204 3.1B (SUPERSEDED)
*Melted & Mfr'd & Tested in the USA; Mat'l is DPA's Compliant

16GA T-304

| Product ID # | Coil # | Thickness | Width | Weight | Mark | Pieces | COMMODITY CODE NUMBER |
|--------------|-----------|-----------|---------|--------|--------|--------|-----------------------|
| 02457D BB | 02457D BB | .0600 | 48.0000 | 14.870 | 1623.3 | 1 | 1 160009453 |

CHEMICAL ANALYSIS CH(Country of Mfg) ES(Spain) US(United States) ZA(South Africa) JP(Japan) Lab Accreditation Bureau, ISO/IEC 17025, Certificate# L2323
Chemical Analysis per ASTM A751/14a

| CM | C % | CR % | CU % | NI % | MO % | N % | SI % | P % | S % |
|------|-------|---------|-------|--------|-------|-------|--------|-------|-------|
| 02 | .0419 | 18.1870 | .4870 | 1.6745 | .3375 | .0743 | 8.0315 | .0295 | .0019 |
| SI % | .2460 | | | | | | | | |

MECHANICAL PROPERTIES

| Product ID # | Coil # | UTS | 20C | YS | 20C | YS | 20C | ELONG | % | Hard | RB | Tail | Grain | Mo. |
|--|-----------|-----|-------|-------|-------|-------|-------|-------|------|------|----|------|-------|-----|
| 02457D BB | 02457D BB | P T | 95.35 | 46.81 | 53.00 | 51.12 | 84.50 | 84.00 | 8.00 | | | | | |
| Company: DART AEROSPACE PO#: P0039152 Our Inv. #: 68228 Qty: 704 SF Part #: <u>Cathie Veil</u> QC Dept: Cathie Veil | | | | | | | | | | | | | | |

DIVERSIFIED INDUSTRIAL PRODUCTS CORP.
CERTIFY THIS A TRUE COPY OF THE
MILL TEST REPORT USED TO FILL YOUR
ORDER.


NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical
Dept. Mgr.

KRIS LARK

7/12/2017

SPECIFICATION CONTROL DRAWING



| STYLE | SIZE OF DIAMOND ¹ | | | | | | SIZE OF STRAND | | | | | | WEIGHT lb/ft ² | |
|--------|------------------------------|------|------|------|------|-------|----------------|-------|-------|-------|------|------|------------------------------|------|
| | "A" | | | "B" | | | WIDTH "W" | | | THICK | | | STD | FLAT |
| | STD | FLAT | STD | STD | FLAT | STD | STD | FLAT | STD | FLAT | STD | FLAT | | |
| 1/2-16 | 0.48 | 0.48 | 1.20 | 1.20 | 1.24 | 0.085 | 0.100 | 0.050 | 0.040 | 0.040 | 0.73 | 0.70 | | |
| 1/2-16 | 0.48 | 0.48 | 1.20 | 1.20 | 1.24 | 0.085 | 0.100 | 0.062 | 0.050 | 0.050 | 0.91 | 0.90 | | |
| 3/4-16 | 0.90 | 0.90 | 2.00 | 2.00 | 2.10 | 0.100 | 0.118 | 0.050 | 0.040 | 0.040 | 0.47 | 0.46 | | |
| 3/4-16 | 0.90 | 0.90 | 2.00 | 2.00 | 2.10 | 0.100 | 0.118 | 0.062 | 0.050 | 0.050 | 0.60 | 0.57 | | |
| 3/4-13 | 0.90 | 0.90 | 2.00 | 2.00 | 2.10 | 0.100 | 0.118 | 0.094 | 0.070 | 0.070 | 0.91 | 0.88 | | |
| 3/4-9 | 0.90 | 0.90 | 2.00 | 2.00 | 2.10 | 0.150 | 0.165 | 0.140 | 0.120 | 0.120 | 2.05 | 1.96 | | |

¹ A TOLERANCE OF +/- 10% OR +/- 0.07 (MIN) IS PERMITTED

RELEASED
R 2010-05-25

PURCHASE MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH
(REF. STAINLESS STEEL PER ASTM A240)

SPECIFICATION: ASTM F1267 OR MIL-M-17194D

PART NUMBER: M304EX1Y YV-HT1 F
SIZE GA

Y,Y = SIZE
TT = GAUGE THICKNESS OF METAL
F = FLATTENED (OPTIONAL)

EG 3/4"-16F EXPANDED METAL MESH (FLATTENED) = M304EX0 75-16F

| | | | |
|------------|---|----|----------|
| B | REFORMAT DWG. ADD MIL/ASTM SPECS (ZN A6-1), ADD TABLE & DETAIL (ZN C6-1), REF NCR 09-093 | CP | 10.01.11 |
| A | NEW ISSUE | DS | 01.07.16 |
| REV | DESCRIPTION | BY | DATE |
| DESIGN | | | |
| DRAWN | | | |
| CHECKED | | | |
| MFG. APPR. | | | |
| APPROVED | | | |
| DE APPR. | | | |
| DATE | 10.01.11 | | |

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.
M304EX

TITLE
304/316 SS EXPANDED METAL MESH

SCALE
NTS

SHEET 1 OF 1

REV B

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 304/316 SS SHEET
ANNEALED

SPECIFICATION:

MIL-S-5059
OR AMS 5513 (304)
OR AMS 5524 (316)
OR ASTM A240
OR ASME SA240

FINISH:

FINISH IDENTIFIER
UNPOLISHED No. 1
UNPOLISHED No. 2D
UNPOLISHED No. 2B
POLISHED No. 3
POLISHED No. 4
BUFFED No. 6
BUFFED No. 7
BUFFED No. 8

PART NUMBER:

M304S TT GA #P
[GA]

WHERE "TT" = GAUGE THICKNESS
WHERE "#P" = FINISH IDENTIFIER

EG. 16 GAUGE SS SHEET 2B FINISH = M304S16GA
EG. 16 GAUGE SS SHEET No. 4 POLISHED = M304S16GA4P

GAUGE THICKNESS REFERENCE:

| GAUGE | NOM. THICK. (IN.) | THICKNESS RANGE (IN.) |
|-------|----------------------|--------------------------|
| 26 | 0.01875 | 0.0178 - 0.019 |
| 25 | 0.021875 | 0.0198 - 0.023 |
| 24 | 0.025 | 0.024 - 0.026 |
| 23 | 0.028125 | 0.027 - 0.029 |
| 22 | 0.03125 | 0.030 - 0.032 |
| 21 | 0.034375 | 0.033 - 0.035 |
| 20 | 0.0375 | 0.036 - 0.040 |
| 19 | 0.04375 | 0.041 - 0.046 |
| 18 | 0.050 | 0.047 - 0.052 |
| 17 | 0.05625 | 0.053 - 0.058 |
| 16 | 0.0625 | 0.059 - 0.065 |
| 15 | 0.0703125 | 0.066 - 0.072 |
| 14 | 0.078125 | 0.073 - 0.083 |
| 13 | 0.09375 | 0.084 - 0.098 |
| 12 | 0.109375 | 0.099 - 0.114 |
| 11 | 0.125 | 0.115 - 0.130 |
| 10 | 0.140625 | 0.131 - 0.145 |
| 9 | 0.15625 | 0.146 - 0.160 |
| 8 | 0.171875 | 0.161 - 0.176 |
| 7 | 0.1875 | 0.182 - 0.194 |
| 6 | 0.2031 | 0.194 - 0.212 |
| 5 | 0.2188 | 0.201 - 0.228 |
| 4 | 0.2344 | 0.225 - 0.243 |
| 3 | 0.2500 | 0.238 - 0.262 |
| 2 | 0.2656 | 0.254 - 0.278 |
| 1 | 0.2813 | 0.269 - 0.293 |
| 0 | 0.3125 | 0.301 - 0.325 |

RELEASED
2015 FEB 04
ECS 15-172Z

| D | ADDED GAUGES 0-7. | AJS | 15.01.06 |
|------------|--|-----|----------|
| C | DEFINED FINISH OPTION (ZN C8) AND EXAMPLE OF MATERIAL FIN WITH FINISH OTHER THAN 2B (ZN B5). | MB | 12.09.20 |
| B | REFORMAT DWG. ADD ASTM/ASME SPECS (ZN D8-1), ADD GAUGE REF (C8-1), REF PAR 08-020A | CP | 09.06.01 |
| A | NEW ISSUE | DS | 01.09.24 |
| REV. | DESCRIPTION | BY | DATE |
| DESIGN | DS | | |
| DRAWN | AJS | | |
| CHECKED | | | |
| MFG. APPR. | | | |
| APPROVED | | | |
| DE APPR. | | | |
| DATE | 15.01.06 | | |

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA
DRAWING NO. M304S
TITLE 304/316 SS SHEET
SHEET 1 OF 1
SCALE NTS

COPYRIGHT © 2001 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OTHER THAN THAT FOR WHICH IT WAS SUPPLIED.

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M 304E X 0.75-16F
 DATE: 18/08/16

PO / BATCH NO.: P0039152/S102780

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 704sf
 QUANTITY INSPECTED: 704sf
 QUANTITY REJECTED: 0

THICKNESS ORDERED: _____
 THICKNESS RECEIVED: _____
 SHEET SIZE ORDERED: 4x8'
 SHEET SIZE RECEIVED: 4x8'

| DESCRIPTION | NCR (Check Y/N) | COMMENTS |
|--|-----------------------|-----------|
| SURFACE DAMAGE | Y (N) | |
| CORRECT FINISH | (Y) N | |
| CORROSION | Y (N) | |
| CORRECT GRAIN DIRECTION | (Y) N | |
| CORRECT MATERIAL PER M-DRAWING | (Y) N | ASTM A240 |
| CORRECT THICKNESS | (Y) N | |
| PHOTO REQUIRED | Y (N) | |
| CORRECT REF # TO LINK CERT | (Y) N | MT: 4570 |
| CORRECT MATERIAL IDENTIFICATION | (Y) N | |
| CORRECT M# ON THE MATERIAL | (Y) N | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y (N) | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y (N) | |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|--|-----|-----|-------|-------|---------|
| | HRC | HRB | DUR A | DUR D | WEBSTER |
| TYPE OF MATERIAL | | | | | |
| SIZE OF TEST SAMPLE | | | | | |
| HARDNESS / DUROMETER READING | | | | | |

testers located in the Quality Office

| QC 18 INSPECTION | ENGINEERING SIGNOFF (if required) |
|--|-------------------------------------|
| INSPECTED BY: <u>AT</u> DATE: <u>18/08/16</u> | SIGNED OFF BY: _____ DATE: _____ |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in